

SLIM-LINE
INDOOR CYLINDERS

SSL 
solid state luminaires



SLIM-LINE

INDOOR CYLINDERS

Imaginative design creates a contemporary setting, exaggerating the clean look of the cylinders in a composition of cluster for a functional purpose.





SLIM-LINE

INDOOR CYLINDERS

The **Slim-Line Indoor Cylinders** are our ultra-clean, light weight cylinder family engineered without visible seams or fasteners in both 1.5" and 2" diameters. These cylinders are available in cord and surface mounts for install in dry or damp locations. The wide range of finishes and trim options offer stylish solutions for various application settings.

FEATURES


- IP43 Rated (Dry or Damp Locations)
- Universal 120-277 Volt AC
- CRI 93 with 2 SDCM
- 2700-4000K
- Black, Bronze, Silver & White Interior Paint Finishes
- Amber, Blue, Clear, Frosted, & Red Glow Rings
- Black & Gold Adjustable Baffles
- HoneyComb Louver
- Cord & Surface Mounts
- Tri-Dim (0-10V 1% TRIAC & ELV Dimming) Standard

Decorative design to fit any look.

Whether you are improving a drab conference room, or creating mood in a retail space, the simple, elegant design of the Slim-Line Series is your solution.

APPLICATIONS

- Hospitality
- Retail
- Lobbies
- Task Lighting
- Display Environments
- Restaurants
- Meeting Areas
- Commercial Offices




FIELD INTERCHANGEABLE OPTICS & BAFFLES



TWIST-LOCK DIE-CAST CANOPY

Low Profile Canopy with Twist-Lock
Feature for Easy Install




INTEGRAL CLASS II DRIVER

Tri-Dim (0-10V 1%,
TRIAC & ELV)

HONEYCOMB LOUVER

Light Cut Off to Eliminate Glare



MACHINE EXTRUDED CYLINDER BODY

LENS HOLDER


LENS ASSEMBLY

PRECISE OPTICS

BAFFLE GASKET

MACHINED BAFFLE TRIM

with Reduced Glare,
Adjustable



MOUNTING OPTIONS & BAFFLES




BAFFLE TRIM POSITIONS

Available in Black and Gold
Flush (Left) and Extended (Right)
Field Adjustable by Twisting Baffle Out Counter Clockwise



SURFACE MOUNT (2")

CORD MOUNT (1.5" & 2")



FINISHES AND GLOW RINGS



TWIST-LOCK DIE-CAST CANOPY
Low Profile Canopy with Twist-Lock Feature for Easy Install

INTEGRAL CLASS II DRIVER
Tri-Dim (0-10V 1%, TRIAC & ELV)

MACHINE EXTRUDED CYLINDER BODY

LENS HOLDER

PRECISE OPTICS


BAFFLE GASKET

MACHINED GLOW RING
with Reduced Glare



FINISHES

Available in Black, Bronze, Silver and White Interior Paints






5 GLOW RINGS

Available in Frosted, Red, Blue, Amber (Below Left to Right), and Clear (Top of Page)






PHOTOMETRICS

SSC1.5s



SSC2s



SSC1.5s

IES Multiplier	
Color	Multiplier
927	0.94
930	1.00
935	1.05
940	1.09


SSC2s

IES Multiplier	
Color	Multiplier
927	0.96
930	1.00
935	1.01
940	1.02

DIMMERS

TRIAC & ELV Approved Dimmer List	
Manufacturer	Manufacturer Part Number
Lutron	Glyder GLV-600
	Diva DVLV-600P
	Diva DV-600P
	Diva DVELV-600P(303)
	Maestro MALV-600
	Nova T NT-1000
	Nova T NTELV-600
Leviton	Skylark SLV-600P
	RadioRA2-10ND
	SureSlide 6633
	Illumatech IPE04

0-10V Approved Dimmer List	
Manufacturer	Manufacturer Part Number
Lutron	Diva DVSTV-XX
	Diva DVSTV-453PH-WH1
Leviton	Illumatech 010-IP710-DLZ







SLIM-LINE
INDOOR CYLINDERS



SSL 
solid state luminaires

BUKAS[™]
LIGHTING GROUP

SLIMLINE-BRO
DH-52521